
SAFETY DATA SHEET

Section 1: IDENTIFICATION

Product Name: PRICE X-335 SPECIAL STRIPPER
Product Code:
MSDS Date: JANUARY 6, 2016

CHARLES PAINT RESEARCH, INC.
2401 E. 85TH STREET
KANSAS CITY, MO 64132

General Information: 816-523-7466
CHEMTREC: 800-424-9300

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

GHS Classification:

Flammable liquids (Category 3), H226
Skin irritation (Category 2), H315
Skin sensitization (Category 1), H317
Aspiration hazard (Category 1), H304

GHS Labeling



Symbol:

Signal Word: Danger

Hazard Statements:

Flammable liquid and vapor
Causes skin irritation.
May cause an allergic skin reaction
May be fatal if swallowed and enters airways

Precautionary Statements:

Prevention:

Avoid breathing mist/vapors/spray.
Contaminated work clothing must not be allowed out of the workplace.
Ground/bond container and receiving equipment.
Keep away from heat/sparks/open flames/hot surfaces-no smoking.
Keep container tightly closed.
Take precautionary measure against static discharge.
Use only non-sparking tools.
Wash thoroughly after handling.
Wear protective gloves/eye protection/face protection

Response:

Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water shower.
If on skin: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Immediately call a poison center/doctor.
 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
 Take off contaminated clothing and wash it before reuse.
 Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep cool.
 Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Potential Health Effects: See Section 11 for more information

This product does not contain carcinogens or potential carcinogens as listed by IARC, NTP, or ACGIH.

This material contains components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Environmental Effects: See Section 12 for more information.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CASE NO.	AMOUNT	OSHA		ACGIH	
			TWA	STEL	TWA	STEL
1	D-LIMONENE CAS#5989-27-5	>60 %	NA	NA	20	NA
2	DISTILLATES (petroleum), hydrotreated light CAS#64742-47-8	>20%	Not avail	Not avail	200 ppm	Not avail
3	PROPRIETARY INFORMATION	< 10%				

Section 4: FIRST AID MEASURES

Emergency first aid procedures by route of exposure:

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Skin: Wash off with soap and plenty of water. Consult a physician.

Eyes: Flush eyes with water as a precaution.

Section 5: FIRE FIGHTING MEASURES

Flash Point (Limonene, D) 48.88°C (120°F) Pensky Martens closed cup

LEL (Limonene, D): 0.7% (V)

UEL (Limonene, D): 6.1% (V)

Auto Ignition Temperature: 458°F / 237°C

NFPA Classification: Combustible Liquid Class II

Suitable Extinguishing Media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Products of Combustion:

Carbon oxides

Fire Fighting Equipment/Instructions:

Wear self-contained breathing apparatus for firefighting if necessary.

HAZARD	HMIS	NFPA
Toxicity	1	1
Fire	2	2
Reactivity	0	0

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Method for Containment: Absorb spilled liquid in suitable non-flammable inert material such as clay, vermiculite or diatomaceous earth.

Methods for Clean-up: Use clean non-sparking tools to collect absorbed material. Dike large spills and place materials in salvage containers.

Section 7: HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

Storage:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Section 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal Protective Equipment (PPE)

Respiratory Protection: A respiratory protection program that meets OSHA's 29CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use.

Eye/Face Protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand Protection: Wear chemical resistant gloves such as nitrile rubber.

Body: When skin contact is possible, protective clothing including apron, sleeves, boots, head and face protection should be worn.

Other Protective Equipment:

Facilities storing or utilizing this material should be equipped with eyewash and/or shower facilities.

See section 3 for exposure limits.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance, State: Clear Liquid
Color: Colorless
Odor: Citrus-like odor
pH: Not Available
Vapor Density: Not available
Boiling Point: 347.9 - 349°C@101.72kPa
Vapor Pressure: 0.192 kPa @ 77°F/25°C
Melting Point/freezing point: -101.83°F / -74.35°C
Flash Point (See Section 5)
Flammability Properties (See section 5)
Solubility (in water) Insoluble
Density : (+/- 0.01) 0.8405 g/cm³ @ 77.00°F / 25.00°C
Evaporation Rate: (>) 1 Ethyl Ether
Octanol/Water partition coefficient (Kow) Not Available
Auto-ignition temperature (See Section 5)
Decomposition temperature: Not Available
Viscosity: Not Available

Section 10: STABILITY AND REACTIVITY

Stability: This material is considered stable at ambient temperatures 70°C (21°C).

Condition to Avoid: Heat, flames, and sparks.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition: Carbon dioxide and carbon monoxide may form when heated to decomposition.

Hazardous Reactions: This product will not undergo polymerization.

Section 11: TOXICOLOGICAL INFORMATION**ACUTE EFFECTS:****Component Analysis LD50**

Limonene-D (5989-27-5)
Oral LD50 Rat 4400 mg/kg;
Dermal LD50 Rabbit >2000 mg/kg

CHRONIC EFFECTS:**Component**

Limonene-D (5989-27-5)

Carcinogenic Effects: IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (D-Limonene)

Mutagenic Effects: Not Available.

Teratogenic Effects: Not Available

Developmental Toxicity: This component has been shown to cause harm to the fetus in laboratory animal studies. Harm to the fetus occurs only at exposure levels that harm the pregnant animal. The relevance of these findings to humans is uncertain.

Target Organs: Exposure to this component has been found to cause kidney damage in male rats. The mechanism by which this toxicity occurs specific to the male rat and the kidney effects are not expected to occur in humans. Overexposure to this component has been suggested as a cause of the following effects in laboratory animals: mild, reversible liver effects, mild, reversible, kidney effects. **Eye contact:** May cause mild eye irritation. Symptoms include stinging, tearing, and redness. **Skin contact:** May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and

cracking of skin, and skin burns. Additional symptoms of skin contact may include: allergic skin reaction (delayed skin rash which may be followed by blistering, scaling, and other skin effects.) Passage of this material into the body through the skin is possible, but it unlikely that this would result in harmful effects during safe handling and use. **Ingestion:** Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. **Inhalation:** Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable. **Aggravated Medical Condition:** Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: Skin, lung (for example, asthma-like conditions). **Symptoms:** Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways).

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Limonene-D (CAS#5989-27-5)
96 Hr LC50 Pimephales promelas: 0.619-0.796 mg/L [flow-through];
96 Hr LC50 Oncorhynchus mykiss: 35 mg/L

Section 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

Section 14: TRANSPORT INFORMATION

Proper Shipping Name: Terpene Hydrocarbons, n.o.s.
Hazard Class: 3
Identification No.: UN2319
Packing Group: III
Placard: Flammable

Section 15: REGULATORY INFORMATION

TSCA Inventory: This product and/or its components are listed on the Toxic Substances Control Act (TSCA) inventory.

SARA 302/304: The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to Subparts 302 and 304 to submit emergency planning and notification information based on Threshold Planning Quantities (TPQs) and Reportable Quantities (RQs) for "Extremely Hazardous Substances" listed in 40 CFR 302.4 and 40 CFR 355. No components were identified.

SARA 313: No components were identified.

CERCLA: The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center concerning release of quantities of "hazardous substances" equal to or greater than the reportable quantities (RQ's) listed in 40 CFR 302.4. As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically designated in 40 CFR 302.4. Chemical substances present in this product or refinery stream that may be subject to this statute are: No components were identified.

SARA 311/312 Hazard: The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to this subpart to submit aggregate information on chemicals by "Hazard Category" as defined in 40 CFR 370.2. This material would be classified under the following hazard categories: Acute, Chronic, Fire

California Prop 65: No components were identified.

Section 16: OTHER SUPPLEMENTAL INFORMATION

Prepared by: **CHARLES PAINT RESEARCH INC.**

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Charles Paint, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Chemisphere be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY CHEMISPHERE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.